

INDEX MAPS.

T.9N R.1W 2nd Mer.

257	258	258	258	258	259	259	260
262 6 284 5 282 4 284 3 281 2 284	283 282 280 281 270 270	271 1 257					
261 7 283 8 282 281 9 280 10 269 11 270 12 256							
283 279 278 268 268 269	279 277 278 266 265 267	267 13 256					
261 18 279 17 278 16 267 15 268 14 267 13 256	280 279	277 278	266 265	267			
261 19 277 20 276 21 266 22 266 23 265 24 255							
277 275 275-276 264 263 264							
260 30 275 29 276 28 273 27 264 26 263 25 255							
274 274 273 272 272 271 271 263 263							
260 31 274 32 273 33 272 34 271 35 262 36 255							
254 254 254 254 253 253 253 253							

T.10N R.1W 2nd Mer.

293	293-294	293-294	292-294	292-294	292-295	292-295
297 6 306 5 309 4 313 3 318 2 325 1 292	305 308 312 317 324 325					
297 7 305 8 308 9 312 10 317 11 324 12 291	304 307 311 316 323 323					
296 18 304 17 307 16 311 15 316 14 322 13 291	300=304 306 310 316 322 322					
296 19 303 20 306 21 310 22 315 23 321 24 290	303 306 310 315 320 321					
296 30 299 29 302 28 309 27 314 26 320 25 290	299-300 303 309 315 320 321					
298 298 302 302 301 301 301 301 314 319 319	301 309 314 313					
295 31 298 32 302 33 301 34 303 35 318 36 290	303 303 303 303 303 303					
287 287 287 287 288 288 288 288 289 289 289						

(F) The figures on the lines refer to the page.

253
Township N. 9 North of Range No 1 West of 2nd P.M.
ch. lns.

South Boundary

April 3rd 1811 from the temporary post run East
on a random line between Towns 8 & 9 N.W. R. No 17th
6 miles and five tenths N of the town cor.

Corrected & marked the line between Towns 8 & 9 N.W.R.

West On the South Boundary of Sec. 36 T. N. 9. N.W.R.

27.00 To a Brook 10 miles; same N.E.

40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 30 in. dia. bears N 50 W. 28 links dist; & a
Buck 12 in. n - 180 E. 19 n -

80.00 Set a post for the cor. to sec. 35 & 36 T. N. 9. N.
R. No 17th 2nd mile same side from which a
Buck 18 in. dia bears S 30 W. 24 links dist; & a
Hickory 10 in. n - N 50 E. 7 n -

Soil Buck lands;

West On the S. Boundary of Sec. 35 T. N. 9. N.W. R. No 17th

40.00 Set a post for the cor. to 1/4 sec. on the true line
from which a Sugar 11 in. dia bears S 69 E. 13
links dist; and Do 11 in. n - N 50 W. 21

77.50 To a Brook 8 links dist; same N.

80.00 Set a post for the cor. to sec. 34 & 35 in T. N. 9. N.
R. No 17th from which a Buck 12 in. dia bears
S 38 W. 31 links dist; & a Do 11 in. n -
N 8 E. 17 n -

Same line as on the last mile;

West On the S. Boundary of Sec. 34 T. N. 9. N.W. R. No 17th.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 14 in. dia bears N 66 W. 21 links dist; & a
Do 5 in. n - 140 E. 22 .. -

71.00 To a Brook 12 links dist; same N.W.

West On the S. Boundary of Sec. 33 T. N. 9. N.W. R. No 17th
Set a post for the cor. to sec. 33 & 34 T. N. 9. N.W.R.
from which a Buck 5 in. dia. bears N 39 W. 25 links
and a Do 16 in. n - 148 E. 35 n -

T. N. 9. R. W. N. 1st Ind Mer. (Ind.)

Sands timber &c same as on the last mile

West On the South Boundary of sec. 33 T. N. 9 R. W.

1st Ind Mer.

- 110.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 14 in. dia. Stands N 69 E 10 the drift; & a
Do 10 " " " S. 55 W. 46 " "
54.00 To a Brook 50.00 miles, Gorme St.
73.50 " " Do 25 " " E. E.
80.00 To the post set for the cor. to sec. 32, 133. T. N. 9
R. W. 1st Ind Mer. from which a
Buck 20 in. dia. bears N 22 E. 12 the drift; & a
Do 36 " " " S. 31 W. 36 " "
Sands soil timber t. ° same as on the last mile:

West On the South Boundary of sec. 33 T. N. 9 R. W.

1st Ind Mer.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 6 in. dia. bears S 60 E. 10 the drift; & a
Ash 14 " " N 84 W 18 " "
53.50 To a Brook 20 in. dia stands in the river.
80.00 Set a post for the cor. to sec. 31 & 32. T. N. 9
R. W. 1st Ind Mer. from which a
Buck 14 in. dia stands N 72 W 20 the drift; & a
Buck 4 " " " S 60 E 19 " "
Gordo, Oak lands level and rich.

West On the South Boundary of sec. 31 T. N. 9 R. W. N. 1st

Ind Mer.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 16 in. dia. bears S 70 E. 17 the drift; & a
Hogwood 3 " " N 64 W 15 " "
80.00 Moved the temporary post 2 ch. South to cor. for
Toms 859 R. 182 W. from which a
Buck 13 in dia bears N 36 E. 18 drift; & a
W. Oak 16 " " S 46 W. 33 " "

T. N. G. N. R. N. 1st W. 2nd Mer.
Grove Oak Lands, &c.

East Boundary

April 1st 1811.

- North On the 2nd Mer. from the cor. to Post 819.
A. N. N. 1st W. East side of sec. 36.
3.75 To a Brook 15 miles wide; course S.E.
31.00 " " " 12 " " " East
40.00 To a Brook 13 m. dia. for the cor. to 1/4 sec. From which
a Bush 13 m. dia bears S80E. 24 miles west; to
Dogwoods 4 " " " \$75 W 36 " "
45.00 To a Bush 14 m. dia stands in the line.
61.00 " " Brook 20 miles wide; course East
80.00 Set a post for the cor. to sec. 25 & 36 T. N. G. N.
N. R. N. 1st W. from which a
Hickory 10 m. dia bears S60W. 19 miles west; to
Bush 36 " " " \$64 E. 18 " "
Grove Bush & Sugar lands;

- North On the 2nd Mer. on the E. Boundary of sec. 25
T. N. G. N. R. N. 1st W.
15.50 To a Brook 10 miles wide; course S.E.
31.00 To a Sugar 12 m. dia. stands in the line.
40.00 Set a post for the cor. to 1/4 sec. From which a
Bush 13 m. dia bears S66E. 11 miles west; to
Q. 13 " " " \$75 W. 24 " "
75.50 To a Bush 16 m. dia. stands in the line.
80.00 Set a post for the cor. to sec. 24 & 35 T. N. G.
N. R. N. 1st W. from which a
W. Oak 12 m. dia bears N49 W. 7 miles west; to an
Ash 3 " " " \$76 E. 17 " "
Lands of middling quality; Timber Bush, Sh-
gan, Ash, &c.

- North On the 2nd Mer. on the E. Boundary of sec. 24
T. N. G. N. R. N. 1st W.

T. No. 9 R. R. No. 1 Twp. 2nd Mer. (Ind.)

- 26.00 To a Brook 10 miles wide; Course S.E.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 18 in. dia bears N 73 E. 6 miles west; to
 Ho 13 n n N 74 W. 5 n n
 57.00 To a Buck 16 in. dia. Stands in the river.
 80.00 Set a post for the cor. to sec. 13 & 24 T. No. 9 R.
 R. No. 1 Twp. from which a
 Sugar 5 in. dia stands N 17 E. 7 miles west;
 Ho 8 n n S 25 W. 14 n n
Sands of middling quality; Limb. 1 Buck, sugar oak

North On the 2nd Mer. on the E. Boundary of sec. 13
 T. No. 9 R. R. 1 Twp.

- 17.00 To a Buck 24 in. dia stands in the river.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Sycamore 16 in. dia. bears S 17 E. 7 miles west; to
 Walnut 18 n n N 22 W. 29 n n
 Sands and timber same as on the last mile;
 70.50 To a Brook 12 miles wide; Course N.W.
 71.50 n n Buck 18 in. dia. Stands in the river.
 80.00 Set a post for the cor. to sec. 12 & 13 T. No. 9 R.
 R. No. 1 Twp. from which a
 Sycamore 40 in. dia. bears N 58 W. 2.5 miles west;
 Elm 5 n n S 51 E. 25 n n
 Hilly 1 Buck, lands;

North On the 2nd Mer. East side of sec. 12 T. No.
9 R. R. No. 1 Twp.

- 34.00 To a W. Oak 7 in. dia stands in the river.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Passiflora 6 in. dia. bears S 47 E. 5 miles west to
 Ho 3 n n N 48 W. 5 n n
 45.00 To a Brook 20 miles wide; Course N.W.
 47.50 n n Sugar 12 in. dia. Stands in the river.
 50.00 Set a post for the cor. to sec. 1 & 10 T. No. 9 R.
 R. No. 1 Twp. from which a
 Buck 12 in. dia bears N 49 W. 15 miles west; to

T. N^o. 9 M.R. N^o 17th 2nd Mer. (Ind.)

Hickory 18 in. dia. trees S³²E. 17 miles dist; to
Poor Hilly Beach lands; &c.

North On the 2nd Mer. East Boundary of sec. 1 T.R.
of M.R. N^o 12th.

- 7.00 To a Brook 20 in dia. stands in the line.
16.75 Set a post on the E. Boundary line of Harrison's
Purchase from which a
Buck 14 in. dia. trees East 32 miles dist; & a
Elm 4 n n n West 30 n n
April 9th 1811 Surveyed by
Alex C. Holmes

North From the above post on the 2nd Mer. Continued
by W^m Harris Dep'y Surveyor. on 6th m^o
28.75 To a Brook 21 in dia. stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Hickory 12 in. dia. trees N⁴⁷E. 17 miles dist; a
Dogwood 6 n n S³⁷E. 8 n n
80.00 Set a post for the cor. to sec. 1. 6. 31. 36. T.
9. 9. 510. 10. R^o 1 E. & 17th from which a
Hickory 9 in. dia. trees N⁶⁸W. 8 miles dist; to
Walnut 9 n n n S⁵¹E. 21 n n
Lands very broken middling goods; Sill,
Buck, Hickory, Oak, Ash, Sycamore &c.

North Boundary

April 5th 1811 From the cor. of T. N^o. 9. 510
M.R. N^o 17th

East On the South Boundary of sec. 31. T.N^o 10 M.R.
N^o 17th

- 23.00 To a Brook 10 miles wide; course N.
40.00 Set a post for the cor. to 1/4 sec. from which an
Ash 30 in. dia. trees North 15 miles dist; & a
Buck 14 n n S⁵⁸E. 27 n
60.50 To a Brook 8 miles wide; course S.E.
80.00 Set a post for the cor. to sec. 31. & 33 T.N^o 10

T. N^o 9 N. R. No 17W. 2nd Mer. (Ind.)

No R. N^o 17W. from which a
Sugar 14 in. dia. beam 428 E. 5 miles west 10
Buck 13 in. n. n. 417 E. 28 n. n.

East On the South Boundary of sec. 32 T. N^o 10 N. R.
N^o 17W.

1.50 Soap Brook 150 miles west; Course N.W.
5.00 n. n. Do. n. n. n. S.E.
11.00 n. n. n. n. n. S.W.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 18 in. dia. beam 461 W. 16 miles west
Do. 11 n. n. n. N57 E. 30 n. n.
Lands flat bottom covered with water; Tim.
Maple, Elm, &c.
80.00 Set a post for the cor. to sec. 32, 133 T. N^o 10
N. R. N^o 17W. from which a W. Oak 14 in. dia
beam 463 E. 27 miles west; do Buck 5 n. n.
n. N21 E. 23 n. n. Poor hilly Oaky
lands &c.

East On the S. Boundary of sec. 33 T. N^o 10 N. R. N^o 17W.

10.00 Soap Brook 6 miles west; Course S.E.
17.00 n. n. 220 10 n. n. n. S.W.
40.00 Set a post for the cor. to 1/4 sec. from which a
Ash 20 in. dia. beam 481 W. 16 miles west; do
Buck 10 n. n. n. N55 E. 15 n. n.
Hilly Oak, lands; as above &c.
80.00 Set a post for the cor. to sec. 33, 134 T. N^o
11 W. from which are
Ash 12 in. dia. beam N77 E. 5 miles west; do
Buck 18 n. n. n. S48 W. 19 n. n.
Flat Elm bottom lands;

East On the S. Boundary of sec. 34 T. N^o 10 N. R. N^o 17W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Bam 30 in. dia. beam N40 E. 9 miles west; do

T. N° 9. M.R. N° 177. 2nd Mar. (Ind.)

273
253

- Buck 10 in. dia bars \$49.77. 9 miles dist; 1
Net Buck lands;
57.00 To a Brook 150 miles dist; same \$7.
65.00 " " " " " " " " " " \$7.
80.00 Get a post for the cor. to Ad. 34. 135 T. N. 10 R.
P. No. 177 from which a
Buck 12 in. dia bars \$50.77. 34 miles dist; to
Ad. 24 " " " " \$50 E. 28 " " " "
Flat bottom lands; Timber Buck, Elm, Maple

East on the S. Boundary of Sec. 35 T. N. R. 10. M. P.M.
 8.50 Total Brook 40 miles wide; corner South.
 32.50 " " 120 150 " " " S.W.
 38.50 " " 220 8 " " " N.W.
 40.00 Lot a part for the cor. A 1/4 sec. from which a
 dyke 16 m. dia bears S 46 W. 6 miles west; to
 Bush 5 " " " N 38 E 19 " "
 Poor wet Bush, bottom lands; 10
 59.00 Lot a part on the N. 73 mdy line of Kean
 Sec's Purchase for the cor to Sec. 2 1/35. T.
 9. 1/10. M.P. 17. from which a
 dyke 14 m. dia bears N 33 E. 14 miles west; to
 Logwood 4 " " " " S 20 W 20 " "
 Poor wet Bush bottom lands to
 Sworeydo by.

The remainder of this Line was surveyed by
H. P. Morris.

West On Mandan line on the S. side of sec. 36. T.M.
10 M.R. No 177.

40.00 Cut a temporary post for the cor. to 1/4 sec.
80.00 Set a post for the cor. to sec. 35 & 36 T.M.
10 M.R. N. 177.

91.00 Sell 360 links South of the post set for the
cor on the N Boundary of Harrisine Ranch

J. N. T. No 9 M.P. No 1 T.R. 2nd Mer. Ind.

East On a true line between sec. 2, 135 T³ S. 9. 10
W. Y.R. N.^o 17W

70.00 Set a post for the cor to sec. 35 & 36. T. M.P.
10 M.P. N.^o 17W from which a
B. Oak 18 in. dia. has N 38 E. 15 links dist; to
Hick. 9 in. " " " \$45⁷⁷ 9 " "

East On a true line S. Boundary of sec. 36. T. No 10 N.
W. N.^o 17W 2nd Mer.

40.00 Set a post for the cor to 1/4 sec. from which a
Basswood 9 in. dia. has S 63 E. 20 links dist; to
Hick. 12 in. " " " \$80⁷⁷ 6 " "
80.00 To the post set for the cor. in sec. 1. C. 36. 36
T³ N. 9 1/10 M.P. N.^o 1² + 17W 2nd Mer.

West Boundary

North On the East Boundary of sec. 36. T. N.^o 9 M.P.
N.^o 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Hick. 10 in. dia. has N 28 E. 18 links dist; to
Maple 11 in. " " " N 65 E 33 " "
61.00 To a W. Oak 14 in. dia stands on the line.
80.00 Set a post for the cor. to sec. 25. 136. T. N.^o
9 M.P. N.^o 2 W. from which a
Dogwood 14 in. dia. has S 33 E. 32 links dist; to
No. 6 in. " " " N 33 W. 34 in. "
Fruit ratelands; Timb. Co., Clark, Co.

North On the East side of sec. 25. T. N.^o 9 M.P. N.^o
2 W. 2nd Mer. (Ind.)

38.00 To a Brook 10 links min; course S.E.
40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 14 in. dia. has S 50 E. 18 links dist; to
W. Oak 11 in. " " " N 79 W. 10 in. "
66.00 To a Hick. 14 in. dia stands on the line

T. N^o 9. M^l. N^o 177^p. 2nd Mer. (Ind^a)

80.00 Set a post for the cor. to sec. 24 & 25 T. N^o 9
N. R. N^o 27^p from which a
Hickory 12 in. dia. bears N 50° E. 20 links dist; to
Bush 12 " " " S 74° W. 26 " "
Same stand as on the last mile.

North On the East side of sec. 24 T. N^o 9 N. R. N^o 27^p
23.50 To a Brook 12 links mid; Course N.E.
40.00 Set a post for the cor. to sec. 6 1/4 sec. from which a
Maple 14 in. dia. bears N 0 E. 29 links dist; to a
Poplar 25 " " " S 75° W. 10 " "
Good Oak lands
69.50 To a Walnut 13 in. dia. Stands in the line.
80.00 Set a post for the cor. to sec. 13 & 24 T. N^o 9 N.
R. N^o 27^p from which a
Red Oak 18 in. dia. bears N 46° W. 20 links dist; to
Dogwood 14 " " " S 59° W. 12 " "
Good Oak lands;

North On the East side of sec. 13 T. N^o 9 N. R. N^o 27^p
23.50 To a Hickory 18 in. dia. Stands in the line.
40.00 Set a post for the cor. to sec. 6 1/4 sec. from which a
Sugar 10 in. dia. bears N 38° W. 34 links dist; to
Do 13 " " " S 38° E. 21 " "
67.00 To a Brook 12 links mid; Course N.E.
73.50 Do 8 " " " S.E.
80.00 Set a post for the cor. to sec. 12, & 13. T. N^o 9
N. R. N^o 27^p from which a
Hickory 12 in. dia. bears S 37° W. 3 links dist; to
Do 10 " " " S 68° E. 10 " "
Land of middling quality

North On the East side of sec 12 T. N^o 9 N. R. N^o 27^p
32.50 To an Ash 30 in. dia. Stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 12 in. dia. bears N 47° W. 9 links dist; to

T. N. 9 N. R. N. 177 2nd Mer. Ind.^a,

Betterment 18 m. via braves S57E. 31 miles dist to
13.50 To a Brook 12 miles mid; comes S.E.
53.50 u - Poplar 20 m. via. Roads in the line.
80.00 Set a post for the cor. to sec. 1. 111 T. N. 9 N. R.
N. 2nd M. from which a
Buck 13 m. via. braves N29E. 31 miles dist to
Elm 12 a - - N60W 40 a -
etc p miles same as the last description; 2nd
1/2 miles from lands; Birch, Sugar, Pop-
lar, etc.

North On the East side of sec. 1. T. N. 9 N. R. N. 177
N. 2nd M.
37.75 To a line S53W
40.00 Set a post for the cor. to 1/4 sec. from which
a sugar 17 m. via braves S58E. 36 miles dist to
10. 14 a - - N19W. 31 a -
Same same as described above.
54.00 To a sugar 16 m. via. Roads in the line.
80.00 Set a post for the cor. to sec. 1. 6. 31 & 36 T. N.
9 1/2. 111^b 112 W. from which a
Buck 5 m. via braves S16W. 13 miles dist to
10. 12 a - - N24E. 28

Surveyed by

Alex. Holman Ld.

Subdivisions

North Betterment Sec. 35 & 36 T. N. 9 N. R. N. 177
40.00 Set a post for the cor. to 1/4 sec. from which a
T. B. ash 3 m. via braves S62W. 29 miles dist to
a sugar 18 a - - N28E. 28 a -
42.50 To a small spring branch 6 miles mid; Name M.
78.50 u - - P work - - - - - N.
80.00 Set a post for the cor. to Oct. 25, 26, 35 & 36
from which a T. B. 16 m. via braves S71E16
miles dist; to a Buck 12 a - - N89W13

I. N. G. R. R. No. 177. grand Mar. Div. a,
Timbuk Sugar, Lynn. Sande Farming,
lands;

- East On a Random line Between Sec. 25 & 36 T. 9 N.R. 17^W
40.00 Set a trap for the car. A $\frac{1}{4}$ sec.
64.50 To a Brook 8 miles mid; Comma N.W.
80.78 Intersects the East Range line 58 miles N. of the
trap set for the car. to Sec. 25 & 36. T. 9 N.R. 17^W
Sands hilly, Oak, Birch, sum Poplar.

- West In the tree line between Sec. 25 & 36 T. 9 N.R. 17^W
40.39 Set the trap for the car. dish; on the tree
line for the car. to $\frac{1}{4}$ sec. from which a
Sugar 16 in. dia tree S 22 W 16 miles dish; to
Buck 20 in. - N 9 E. 30 in. -
80.78 To the first set for the car to Sec. 25, 26, 35, 36

- North Between Sec. 25 & 26 T. 9 N.R. 17^W.
40.00 Set a trap for the car. to $\frac{1}{4}$ sec. from which a
— 10 in. dia tree S 21 W 16 miles dish; to
Buck 11 in. - N 32 W 20 in. -
75.00 To a small creek 6 miles mid; Comma N.W.
80.00 Set a trap for the car. to sec. 23, 24, 25 & 26 from
which a Buck 10 in. dia tree N 62 W 13 miles dish
H. 8 in. - N 44 E. 10 in. -
Sands very hilly; Timbuk, Ash, Oak, & Dog-
wood;

- West In a Random line between Sec. 23, 24 & 26 T. 9 N.
R. 17^W
12.50 To a creek 40 miles mid; C. N.W.
40.00 Set a trap for the car. to $\frac{1}{4}$ sec.
81.05 Intersects the N.E. line 05 miles South of the
trap set for the car. to sec. 22, 23, 26 & 27
Sands extremely hilly; Oak, Ash, Birch, & Sugar

T. N. O. G. M.R. No. 1 N. 9ndo Mar. Ind.

- West On a tree line between Sec. 23, 126 T. 9 M.R. N.
 40.52^{1/4} Set the temporary post at the even dist on the tree
 line for the cor. to 1/4 ac. from which a
 W. Oak 11 in. dia. bears N 34 E 3 miles west; to
 Ash 30 in. n - S 10 E 15 n -
 81.05 To the post set for the cor. to sec. 22, 23, 26, 27

- East Between R.R. 22, 27 T. N. O. G. M.R. N. 1 W.
 40.00 Set apart for the cor. to 1/4 ac. from which a
 Hickory 6 in. dia. bears N 54 E 3 miles west; to
 Buck 6 in. n - S 76 W 2 n -
 73.00 To a Brook 50 yards west; corner N. W.
 86.00 Set a post for the cor. to sec. 22, 23, 26 & 27
 from which a W. Oak 16 in. dia. bears S 14 E 3^{1/4}
 miles west; to B. Oak 4 in. n - N 25 W 35
 n - Sanderling hilly and broken; Timber
 Oak, Ash, Buck, & Sugar.

- South On a hill line between R.R. 26, 27, 1/4. Q.M.R.
 1 N. 9ndo Mar.
 4.50 To a Brook 50 yards west; corner N. W.
 40.00 Set a temporary post for the cor. to 1/4 ac.
 52.50 To a small brook. 2 steps made corner East
 80.10 intersected the C. & F. line 1/20 miles N. of the
 first set for the cor. to sec. 26, 27, 34 & 35
 Sanderling, Middling, for farming lands
 Timber Oak, Ash, Buck, & Poplar.

- North Between R.R. 26, 27 On a tree line T. N. O. G.
 M.R. N. 1 W
 40.83 Set the temporary post at the even dist on the tree
 line for the cor. to 1/4 ac. from which a
 Buck 16 in. dia. bears S 14 E 21 miles west; to
 16.9 in. n - N 31 E 24 n -
 81.10 To the post set for the cor. to sec. 22, 23, 26, 27

East On a hill line between R.R. 24, 25, 29 M.R. N.

T. N. 9 M.R. No 177. 2nd Mer. (Ind.)

- 40.00 Set a trap post for the cor. to 14 sec.
 80.24 Intersect the NPS line of mine N of the post
 set for the cor. to Sec. 24 & 25 T. 9 M.R. 1W
 Sand hilly middling for farming; timber
 Oak, Ash, Buck, 10

West On the true line between Sec. 24 & 25 T. N. 9 M.R.
 1W. 1M.

- 40.00 Set the trap post at the cor. within the true
 line for the cor. to 14 sec. from which a
 Buck 30 m. dia. bears S 7 E. 21 miles dist. to
 1Lg. 24 n - - N 21 E. 35 - -
 80.24 To the first set for the cor. to Sec. 23, 24, 25, 126

North Between Sec. 23, 126 T. N. 9 M.R. N. 1W.

- 40.00 Set a post for the cor. to 14 sec. from which a
 Dogwood 3 in. dia. bears S 59 W. 24 miles dist.
 Buck 20 n - - N 65 E. 21 - -
 78.50 To a Brook 50 miles dist; to mine S. 1M.
 80.00 Set a post for the cor. to Sec. 13, 14, 23, 124
 T. N. 9 M.R. N. 1W. from which a
 Walnut 3 in. dia. bears N 80 W. 11 miles dist. to
 Sugar 14 n - - N 88 E. 21 n - -
 Sand very hilly; timber Oak, & Buck.

West In a Kansan line between Sec. 14 & 23 T. 9 M.R.
 N. 1W.

- 40.00 Set a trap post for the cor. to 14 sec.
 79.85 Intersect the NPS line 33 miles S of the post
 set for the cor. to Sec. 14, 15, 22, 123.
 Sand same as in the last mile

East On a true line between Sec. 14 & 23 T. N. 9 M.R.
 39.92p Set a post for the cor. to 14 sec. at the cor. dist
 in the true line from which a
 Sassafras 4 in. dia. bears S 34 E. 6 miles dist. to

T. N. 9 N.R. N. 17th. 2nd Mer. (Ind.)

Gassafas 5 m. NW. bears N 41 E. 6 miles dist;
79.85 To the first lot for the cor. to sec. 13. 14. 23 & 24

September 24th 1815

North Between Sec. 21 & 22 T. N. 9 N.R. N. 17th.
36.00 To a rock 70 miles mid; course N.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 14 in. dia. bears N 81 E. 16 miles dist; to a
Log 6 in. - N 44 E. 11 1/2 in.
80.00 Set a post for the cor. to sec. 15. 16. 21 & 22 from
which a tall Oak 14 in. dia bears S 59 W. 27 miles
dist; to a Maple 11 in. - N 73 E. 18 in.
- Same as on the last mile.

East Between Sec. 15 & 23. T. N. 9 N.R. N. 17th.
28.00 To a small Brook; course S.
40.00 Set a post for the cor. to 1/4 sec. from which a
Poplar 40 in. dia bears N 85 W. 16 miles dist; to a
Buck 16 in. - S 74 E. 21 in.
80.00 Set a post for the cor. to sec. 14. 15. 22, 23 from
which a Dogwood 3 in. dia bears S 51 W. 22 miles
dist; to a Buck 10 in. - N 41 E. 18 in.
- Sandy hilly & meadowing for farming
Timber Oak, Ash, Buck, &c

South On a narrow line between Sec. 22, & 23. T. N. 9
N.R. N. 17th.

40.00 Set a temporary post for the cor. to 1/4 sec.
45.00 To a Brook 50 miles mid; course S. W.
72.50 n. n. n. 60 in. - D. W.
79.82 Intersected the E. & W. line 41 miles East of the
Post set for the cor. to sec. 22, 23, 26, 27
Sandy hilly and broken; Timber Oak, & Buck
generally.

North On a narrow line between Sec. 22, & 23. T. N. R. 17th.

T. N. 9 N.R. No. 1 M. 2nd Mar. (Cont'd.)

- 39.91 Set the temporary post at the arm dist. on the true line for the cor. to 1/4 sec. from which an
Eph 5 in dia. brace N 35 E 16 miles dist; 1 a
Sugar 15 in. — N 35 E 6 in. —
1982 To the first set for the cor. to sec. 14, 15, 22, 23.

East On a random line between Sec. 13 & 24 T. 9 N.R.M.
40.00 Set a temporary post for the cor. to 1/4 sec.
80.25 Intersects the N.S. line 11 miles S. of the post for
the cor. to sec. 13 & 24. T. N. 9 N.R. 17.
Sand & Hilly not middling for farming.
Timber Oak, Ash, Buck, Poplar, &c.

West On the true line between Sec. 13 & 24 T. 9 N.R.M.
40.12 p Set the temporary post at the arm dist; on the true
line for the cor. to 1/4 sec. from which an
Ash 24 in. dia. brace N 36 W. 5 miles dist; 1 a
Sugar 3 in. — N 16 W. 21 in. —
80.25 To the first set for the cor. to sec. 13, 14, 23, & 24

North Between Sec. 13 & 14 T. N. 9 N.R. N. 17.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 10 in. dia. brace S 21 N. 7 miles dist; 1 a
Timber old 4 in. — N 21 N. 11 in. —
80.00 Set a post for the cor. Sec. 11, 12, 13, & 14. from
which a T. Oak 3 in. dia. brace S 12 E 21 miles dist;
meadow 10 20 6 in. — N 37 N. 8 in. —
Sand & very hilly; Timber very poor Oak, old Buck

September 25th 1815

North Between Sec. 15 & 16 T. N. 9 N.R. N. 17.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 4 in. dia. brace N 69 N. 9 miles dist; 1 a
10 6 in. — N 37 E 10 in. —
70.00 Small Brook Conne N.
80.00 Set a post for the cor. to sec. 9, 10, 15, 16. T. N. 9.

T. N^o. 9 N^o. 177. 2ndd Mar. (Ind)

N. R. N^o. 177. From which a
Bush 20 in. dia has N^o 177. 13 miles dist, to
N^o 18 n. a. - \$48 E 10 a. -
Sand Heilly or middling for farming land
Timber Oak, Poplar, Walnut, &c

East Between Lat. 10. & 15. T. N^o. 9 N^o. 177.
40.00 Set a post for the cor. to 1/4 sec. from which a
Logwood 5 in. dia has N^o 177. 6 miles dist, to
N^o 5 n. a. - \$48 1/2 E 22 a.
80.00 Set a post for the cor. to Lat. 10. 11. 14 & 15 from
which a Heilly 6 in. dia. has N^o 177. 29 miles
dist, to N^o 10 n. a. - \$31 E. 15 p. a.
Sand Heilly Timber Oak Bush, &c
Scrub rather than otherwise.

September 29th 1865.

South On a random line between Lat. 14 & 15 T. N^o. 9
N. R. N^o. 177.

40.00 Set a true N. S. post for the cor. N. 1/4 w. of
80.29 Intersects the E & N. line at the post set for
the cor. to Lat. 14. 15, 22, & 23. Heilly poor
land; Timber Oak, Bush, &c

North On the true line between Lat. 14 & 15 T. N^o. 9 N^o.
R. N^o. 177.

40.14 p. Set the true N. S. post at the arm dist; on the true
line for the cor. to 1/4 sec. from which a
Logwood 3 in. dia. has N^o 177. 26 miles dist, to
Bush 18 n. a. - \$24 E 21 a.
80.29 To the post set for the cor. to Lat. 10. 11. 14 & 15

East On a random line between Lat. 11 & 14 T. N^o. 9
N. R. N^o. 177.

22.00 Iron Bars & 20 lbs min; Gunne N.
39.50 n. a. n. - n. a. - n. a. - N. R.

J. No. 9 N.R. No. 177. 2nd Mar. (Ind.)

- 4.000 Set a trapset post for the cor. to $\frac{1}{4}$ mi.
 80.25 Intersected the N.S. line 26 miles North of
 the first set for the cor. to Oct. 11, 12, 13 & 14.
 Sands &c. soil tinted same as on the last mile.

West On the true line between Oct. 11 & 14: J. No. 9.
 N.R. No. 177.

- 40.12^p Set the trapset post at the over drift, on the true
 line for the cor. to $\frac{1}{4}$ sec. from which an
 Econ 4 in. dia. bears N 40° E. 18 miles north; &
 Buck 5 in. - N 67° W. 33 in. -
 81.25 To the post set for the cor. to Oct. 10, 11, 14 & 15

East On the true line between Oct. 12 & 13: J. No. 9.
 N.R. No. 177.

- 4.000 Set a trapset post for the cor. to $\frac{1}{4}$ mi.
 70.08 To a small spring branch le. N.
 79.89 " " " Brook le. N.W.
 80.20 Intersected the N.E. line 26 miles S. of the
 post set for the cor. to Oct. 12 & 13. J. No. 9.
 N.R. No. 177. Sands extremely hilly & broken-
 ish; Timber Ash, & Buck, generally
 over drift.

West On a true line between Oct. 12 & 13: J. No. 9 N.R. 177.

- 40.10 Set the trapset post at the over drift, on the
 true line for the cor. to $\frac{1}{4}$ mi. from which a
 Dogwood 3 in. dia. bears N 57° E. 11 $\frac{1}{2}$ miles drift
 W. N. Y. 17 in. - S 41° E. 10 in. -
 80.20 To the post set for the cor. to Oct. 11, 12, 13, 14

North Between Oct. 10 & 11: J. No. 9 N.R. 177.

- 22.50 To a Brook 50 miles drift; Kasius W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ mi. from which a
 Buck 16 in. dia. bears S 19° W. 17 miles drift; &
 160 10 in. - N 38° W. 6 in. -

50

J. No. 9 N.R. No 1 W. 2nd. Mer. Ind.

- 80.00 Set a post for the cor. to Lat. 2. 3. 10. 11. from which a Mt Walnut 9 in. dia. tree \$50 E2 miles; to a B. Cedar 3 in. - \$85 97 30 -
- Lands hilly; poor Oak & Birch timber generally.
-

September 30. 1815

- East Between Lat. 2 & 11 J. No 9 N.R. No 1 W.
31.50 To a Brook 50 miles west; corner N.W.
40.00 Set a post for the cor. to 1/4 sec. from which a Birch 15 in. dia tree N17°E. 10 miles west to Sugar 8 in. - \$98. 21 -
80.00 Set a post for the cor. to Lat. 1. 2. 11. 12. from which a Birch 6 in. dia. tree South 10 miles east; to a Hickory 7 in. - \$44 1/2 17 -
- Lands poor timber & same as on the last mile
-

South On a Random line between Lat. 11 & 12 J 9 N.
R. W.

- 21.50 To a Brook 50 miles west; corner N.
40.00 Set a temporary post for the cor. to 1/4 sec.
80.33 Intersected the E. & W. line 25 miles East of
the first post for the cor. to Lat. 11. 12. 13. & 14.
- Lands poor timber same as on the last mile.
-

- North On the true line between Lat. 11 & 12 J 9 N R 17
40.00 Set the temporary post at the cor. east on the true
line. for the cor. to 1/4 sec. from which a
Bogwood 6 in. dia. tree N 88°W. 19 miles east
to a tall 5 in. - \$57 8 13 -
80.33 To the first post for the cor. to Lat. 1. 2. 11. 12
-

- East On a Random line between Lat. 1 & 12 J. No.
9 N.R. No 1 W.
40.00 Set a temporary post for the cor. to 1/4 sec.

271

J. No. 9 N.P.R. No. 1 M. 2nd Div. (Ind^o)

80.03 Interacted the N & S line 15 to miles N of the
post set for the cor. to sec. 1112 J. No. 9 N.
W. No. 1 M. Land extremely hilly broken.
Soil poor. Timber Buck & Oak.

West On the true line Between Sec. 1 & 12 J. No. 9
N.P.R. No. 1 M.

40.01 Set the traps first at the corr. post on the true
line for the cor. to 1/4 sec. from which a
line N. 17° 17' E. dis. bears 361 M. 28 miles west; to
Buck 16 m. n. N 54° E 9 m. n.

81.03 Take post set for the cor. to sec. 1. D. 11. 12

North Between Sec. 1 & 2 J. No. 9 N.P.R. No. 1 M.

25.01 To a small creek corner N.W.

40.01 Set a post for the cor. to 1/4 sec. from which a
Buck 4 m. dis. bears 353° W 11 miles west; to
Oak 10 m. n. N 12° 8' 9 m. n.

72.28 Interacted the N Boundary of of N. 9 N.P.R.
No. 1 M. I set a post for the cor. to sec. 1 & 2
from which a Buck 18 m. dis. bears N 12° 7' 10" W
west; to 1/2 17 m. n. N 82° 7' 16" m.
Land same as in the last mile.

North Between Sec. 34 & 35 J. No. 9 N.P.R. No. 1 M.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 18 m. dis. bears 384° E. 5 miles west; to
Buck 31 m. n. N 36° 7' 2" m. n.

80.00 Set a post for the cor. to sec. 26. 27. 34 & 35
J. No. 9 N.P.R. No. 1 M. from which a
Buck 8 m. dis. bears 330° N. 17 miles west; to
Sugar 4 m. n. n. N 26° 8' 10" m. n.
First rate farming lands; Timber Buck,
Sugar, Walnut &c.

East On a random line between Sec. 26 & 35. J. 9 N.

T. N. O. G. A.R. No. 177. 2nd Nov. And.

R. N. 177.

- 25.00 To a small brook C. N.
 39.00 " " Brook 15 miles mid; course N.
 40.00 Set a temporary post for the cor. to 1/4 mi.
 80.66 Intersected the N & S line 36 miles N of the
 post set for the cor. to 25, 26, 35 & 36.
 Lands rolling 2nd rate;

West On the true line between Lat. 26 & 35 T 9 R. 17 W
 40.33 Cut the trumpet post at the arr. dist; on the
 true line for the cor. to 1/4 sec. from which a
 Sugar 8 in. dia. tree N 1/4 E 1/2 miles west;
 160 20 " " " S 61 W 22 " "
 80.66 To the post set for the cor. to Lat. 26, 27, 34, 35.

West Between Lat. 27 & 34 T. N. O. G. A.R. No. 177.
 40.00 Set a post for the cor. to 1/4 sec from which a
 Sugar 10 in. dia. tree N 7/4 W. 21 miles east
 160 10 " " " S 23 W. 14 " "
 80.00 Set a post for the cor. to Lat. 27, 28, 33, 34.
 T. N. O. G. A.R. No. 177. from which a
 Buck 24 in. dia. tree S 86 E 8 miles west; to
 160 24 " " " S 42 W 20 " "
 Lands first rate; Buck, Sugar, & Walnut go

South On a random line between Lat. 33 & 34 T. N.
 O. G. A.R. No. 177.
 40.00 Set a trumpet post for the cor. to 1/4 sec.
 63.00 To a Brook - miles mid; course N.
 70.00 " " " " " " " " "
 80.50 Intersected the E & W line 16 miles East
 of the post set for the cor. to Lat. 33 & 34
 Lands same as on the last mile.

North Between Lat. 33 & 34 T. N. O. G. A.R. No. 177
 On a true line.

T. No. 9 N.Y.R. No. 17. Grade Recd. Ind.

- 40.00 Set the temporary post at the arm. which in the tree
line from the cor. to 1/4 mi. from which a
height 10 mi. due bears S29°W. 22 miles west
Sugar 20 n - N18°E. 23 n -
811.50 To the post set for the cor. to Sat. 27. 28. 33 &
34.

- North Between Sat. 27. 128 T. No. 9 N.Y.R. No. 17.
40.00 Cut a post for the cor. to 1/4 sec. from which a
Sugar 16 mi. due bears N84°W. 16 miles west; do
Buck 6 n - N86°E. 18 n -
811.00 Cut a post for the cor. to Sat. 21. 22, 27. 128.
T. No. 9 N.Y.R. No. 17. from which a
Buck 5 mi. due bears N44°W. 3 miles west; do
Sugar 8 n - S37°E. 27 n -
Sand first rate;

September 23. 1815

- West Between Sat. 28. 133. T. No. 9 N.Y.R. No. 17.
40.00 Cut a post for the cor. to 1/4 sec. from which a
Sugar 18 mi. due bears S5°W. 25 miles west; do
Rock 24 n - N6°E. 22 n -
62.50 To a Brook - 10 miles west; course N.
80.00 Cut a post for the cor. to Sat. 28. 29. 32. 133.
from which a
Sugar 6 mi. due. bears W40°W. 20 miles west;
do 18 n - N. 72°E. 32 n -
Sand first rate; Twin Walnut, Sugar, Buck
ash &c.

- South Between Sat. 32. 133. T. No. 9 N.Y.R. No. 17.
40.00 Cut a temp. post for the cor. to 1/4 sec.
53.50 To a Brook 10 miles west; course S.E.
811.19 Intersected the E. 8°W. line 4.6 miles East of
the first post for the cor. to Sat. 32. 133.
Sand soil turns to same as in the last mile

J. No. 9. N.P. No. 1 M. 2nd Mer. (End.)

North Between Sec. 32 & 33. J. No. 9 N.P. No. 1 M.
40.00 Lot a temp. lot at the ave. dist. on the
true line for the cor. to 1/4 sec. from which a
Buck 30 in. dia. bears S46°W. 5 miles dist; to
Llo 18 n - 73°E 24 n -
81.11 To the post at the cor. to sec. 28, 29, 32, 33.

West Between Sec. 29 & 33. J. No. 9 N.P. No. 1 M.
11.00 To a Brook 10 miles west; course N.E.
35.00 n - Llo 15 n - N. E.
40.00 Lot a post for the cor. to 1/4 sec. from which a
Buck 30 in. dia. bears N41°W. 26 miles dist;
Llo 4 n - 56°E 9 n -
81.11 To a post for the cor. to sec. 29, 31, 32 & 33
from which a
Dogwood 5 in. dia. bears N. 7°W. 10 miles dist
Llo 4 n - 51°E. 75 n -
Good farming lands;

South On a Random line between Sec. 31 & 32
J. No. 9 N.P. No. 1 M.
40.00 Lot a temp. lot for the cor. to 1/4 sec.
79.86 Intersected the E. & W. line 56 miles West
of cor. to sec. 31 & 32
Farms good rates; Timber Oak, etc.

North Between Sec. 31 & 32. J. No. 9 N.P. No. 1 M.
39.93 Lot a temp. lot for the cor. to 1/4 sec. at
the ave. dist. on the true line from which a
Buck 7 1/2 in. dia. bears S39°W. 20 miles west
Dogwood 4 n - 44°E 29 n -
79.86 To the first lot for the cor. to sec. 29, 30, 31 & 32

West Between Sec. 31 & 32. J. No. 9 N.P. No. 1 M.
40.00 Lot a post for the cor. to 1/4 sec. from which a
Oak 20 in. dia. bears S49°E 6 miles west;

T. N^o 9 M.R. N^o 1 W. D^o do Mus. (Ind.)

- Raw Oak 18 in. dia. tree S 58^W 27 miles west;
 72.57 Intersected the N & S line 60 miles N. of the post at
 from the cor. to sec. 30 & 35 T. N^o 9 M.R. N^o 2 W
 & set a post from which a
 Dogwood 8 in. dia. tree S 75^E 11 miles east;
 " " 8 " " " N 39^W 21 " "
 Sandy soil timber to same as on the last mile;

- North Between Sec. 29 & 30 T. N^o 9 M.R. N^o 1 W.
 14.00 To a Beech 18 in. dia. stand for the cor. to 1/4 sec.
 40.50 To a Brook 10 miles wide; corner N.W.
 67.00 " " " 10 " " " " "
 80.00 Set a post for the cor. to sec. 19, 20, 29, & 30.
 From which a Sugar 6 in. dia. tree N 9^E 14
 miles east; to " " 4 " " " S 20^E. -
 " " " This mile over good farming lands
 Timber Walnut, Beech, Oak, Sugar, etc.

- East Between Sec. 21 & 29 T. N^o 9 M.R. N^o 1 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Sugar 5 in. dia. tree S 29^E 5 miles west; to a
 Buck 5 " " " N 12^E 14 " "
 80.00 Set a post for the cor. to sec. 21, 21, 28, & 29 from
 which are Elm 18 in. dia. trees N 39^W 13 miles east;
 and an Elm 10 " " " S 31^W 29 " "
 Sandy soil rate; Timber Walnut, Huckleberry, Oak
 Cherry, Hickory, Elm &c.

- East On a random line between Sec. 21 & 28 T. N^o 9 M.R.
 N^o 1 W.
 01.00 To a Brook - miles wide; corner East.
 21.00 " " " 30 " " " " North
 41.00 Set a temporary post for the cor. to 1/4 sec.
 To a Brook 10 miles wide; corner N.
 78.79 Intersected the N & S line 21 miles North of the post
 Set for the cor. to sec. 21, 22, 27, 28. Good farm?

I No. 9 M.R. No. 1772 2nd Mar. (Aug)

Lando

West Pittman Jan 21. 1828 On the true line T. N. o. 9.
N. P. No 171.

- 39.36 Set the temporary post at the over. dish; on the true
line for the com. to 14pm. from which an
Eaton 40 in. dia have \$33 N. 11 inches cash; for an
ash 36 in. in. N 4 E. 13 in. in.
78.73 To the post set for the com. to Oct. 21. 28129

September 24th 1805

South On a Mission line between Nov. 28 & 29 T. N.
of S.M. M. I. H.

- 40.00 Set a trap for first for the cor. to 1/4 sec.
 43.00 To a Brook 10 miles North Come N.E.
 55.50 up a hill a a a a
 80.30 Intercepted the E & W. line 6 1/2 miles East of the
 first set for the cor. to set. 28, 29, 32, 133.
 Same fish rate; Timber, Walnut, Chest., Su-
 gan. &c

North Pittman Oct 28 & 29. T No 9 MR N° 177.

On the train line.

- 4075 Got the temp. of frost at the over. shot on the true
line for the corr. to 74° F. from which a
Bush Cm. dia bears 83.8 spike bush; &
do 8 u n n N W 4 74.8 do -
811.30 To the frost set for the corr. to Sept. 21. 21 28 + 29

North Vietnam Oct. 20191. T. No 9 MR. No 1 N.

- 40.00 Cut a post for the cor. to 1/4 sec. from which an Ash 24 in. dia beam \$32 E. 6 miles west; & an Ash 24 in. n - N 8 E 28 n -

57.50 To a Brook 15 miles west; Laramie N.E.

81.00 Cut a post for the cor. to sec. 16. 17. 20. 1/21
from which a Sugar 13 in. dia beam \$34.25

T. N° 9. S.H. N° 17W. 2nd sec. Mus. Ind.

Wicks dish; or a Bush 18 mi. dia. bears N 43 E 18
or a Sand, rolling land; soil Bush, loam
gum &c.

- West Between Sec. 17. & 20 T. N° 9. S.H. N° 17W
40.00 Set a post for the cor. to first cor., from which a
Bush 18 mi. dia bears C 44 E 3 miles dish; or
H. 0. 4 n n n H 15 E. 16 a n
78.50 Tap Brook 30 miles miles Course N.
80.00 Set a post for the cor. to sec. 17. 18. 19. 20. T. N°
9. S.H. 17W. From which a
Huckleberry 36 mi dia. bears N 64 E 11 miles dish;
Sugar 14 n n n S 31 E. 25 n n
Fordo farming lands; Timber Walnut, Bush
Sugar &c

- South On a Boundary line between Sec. 19. & 30. T. N° 9
S.H. N° 17W.
40.00 Set a temporary post for the cor. to 1/4 sec.
79.83 Intersected the East end of West line 32 miles East
of the post set for the cor. to sec. 19. 20. 29. 30
Sand, soil, timber &c same as on the last.

- West Between Sec. 19. & 30. T. N° 9. S.H. N° 17W.
26.50 Tap Brook 15 miles miles, Course N.
40.00 Set a post for the cor. to 1/4 sec. From which a
Bush 8 mi. dia bears N 70 - 74 miles dish; or
Gum 24 n n n S 20 E 24 n n n
72.17 Intersected the N. Boundary line 37 miles N. off
the cor. to sec. 24 & 25 T. N° 9. S.H. N° 17W. Set
a post for the cor. to sec. 19. 13. 0. From which a
Huckleberry 12 mi dia bears C 57 W. 7 miles dish; or
H. 12 n n n S 35 E. 28 n n
Sand, soil, timber, M. G. to same as on the last mile

- North Between Sec. 19 & 20 T. N° 9. S.H. N° 17W.

T. N° 9 N.R. N° 17W. 2nd Mer. (Ind.)

- 39.41 Set the tempy post at the cor. with in the true line, for the cor. to 1/4 sec. from which a
Sugar 3 in dia. base S $\frac{1}{2}$ E 3 links dist; to
No. 24 n n - N63E12 n -
79.83 To the post set for the cor. to sec. 17. 18. 19. 20.

West Between sec. 9 & 15 T. N° 9 N.R. N° 17W.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 16 in dia base S $\frac{1}{2}$ E 16 links dist; to
Sugar 6 n n - N11E.10 n -
62.01 To a Dry Branch 15 links mid; Comme N.W.
80.00 Set a post for the cor. to sec. 8. 9. 16. & 17. From
which a Buck 12 in dia base S15E.14 links dist;
and a W. Oak 12 n n - S63W16 n -
Lands hilly; Timber Oak, Sugar, Buck, Poplar,

South On a Random line between sec. 16 & 17 T. N° 9 N.R. N° 17W.

- 3.50 To a Brook 60 links mid; Comme N.W.
14.00 n n n 60 n n n N.E.
21.00 n n n 60 n n n "M.
40.00 Set a tempy post for the cor. to 1/4 sec.
67.50 To a Brook 60 links mid; Comme N.W.
79.00 Intersected the E. & W. line 15 links West of the
cor. to sec. 16. 17. 20. & 21 Bottom lands; rich
soil good for farming

East On a Random line between sec. 16 & 21. T. N° 9
N.R. N° 17W.

- 21.01 To a Brook 20 links mid; Comme N.W.
40.00 Set a tempy post for the cor. to 1/4 sec.
81.08 Intersected the N. & S. line 81 links N. of the
cor. to sec. 15. 16. 21. & 22. The west p. land
same as on the last mile; E. p. hilly & poor.

West On the true line between sec. 16 & 21. T. N° 9

I. N. O. 9. N. R. N. O. 9. M. 2nd Mo. (Ind.)

1 N. R. N. O. 17W.

- 40.04 Set the trap, y post at the ave. dish; on the tree
line for the cor. to pass from which a
Buck 10 in. dia. bears S 62 W. 19 miles dish; &
R. Oak 36 in. - N 45 E. 19 in. -
80.08 To the post set for the cor. to Ave. 16. 17. 20. 21

North On the tree line between Sec. 16. & 17 I. N. O. 9
N. R. N. O. 17W.

- 39.50 Set the trap, y post at the ave. dish; on the tree
line for the cor. to pass from which a
W. Oak 12 in. dia. bears S 31 W. 8 miles dish; &
Hawth. 15 in. - N 72 E. 26 in. -
79.00 To the post set for the cor. to Ave. 8. 9. 16. 17.

West Between Sec. 8 & 17 I. N. O. 9. N. R. N. O. 17W.

- 40.00 Set a post for the cor. to pass from which a
Buck 8 in. dia. bears N 52 W. 92 miles dish; &
Do 30 in. - S 34 E. 10 in. -
75.00 To a Brook 15 miles mid; corner W.
80.00 Set a post for the cor. to Ave. 7. 8. 17. 18. from
which a Buck 10 in. dia. bears N 13 W. 18 miles dish,
and a Do 30 in. - S 60 E. 16 in. -
Sand, peat, Kitty & part hedges for farm-
ing; timber, Buck, sugar, & poplar.

South On a Random line between Sec. 17. & 18 I. N. O. 9
N. R. N. O. 17W.

- 40.00 Set a trap, y post for the cor. to 1/4 sec.
80.21 Intersects the E. 54 W. line 12.2 miles E. of the post
set for the cor. to Ave. 17. 18. 19. 20.
Sand, grit, timber & m. same as on the last.

West Between Sec. 18. & 19 I. N. O. 9. N. R. N. O. 17W. 1.5 mi

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 18 in. dia. bears N 24 W. 3 miles dish; &

T. No. 9. N.R. No. 17th. 29th Nov. Ind.

- Sugar - m. dia. beans S32 W. 39 miles dist;
 72.39 Intersects the N. & S line 186 miles North of
 the first set for the cor. to Sec. 13 & 24. T. No.
 9. N.R. No. 27th & lot a post from which a
 Buck 12 m. dia. beans N24 E. 11 miles dist; &
 11^o 12 n n n S58⁴⁷ 16 n n
 Sands same as on the last mile; timber Buck
 Sugar, Poplar, & Ash.
-

North On the true line between Sec. 17 & 18 T. No. 9
 N. R. No. 17th.

- 40.00 Set the temporary post at the avar. dist. on the true
 line, for the cor. to 1/4 sec. from which a
 sugar - m. dia. beans S51 E. 14 miles dist; &
 11^o 11 n n n N4 E. 20 n n
 80.00 Set a post set for the cor. to Sec. 7. 8. 17. 18.
-

September 30th 1815

- North Between Sec. 9 & 10 T. No. 9. N.R. No. 17th
 40.00 To a Brook 30 miles mid; leaves N.E.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 10 m. dia. beans N47 E. 0.3 miles dist; &
 Poplar 4 n n n S32 W. 18 n n
 80.00 Set a post for the cor. to Sec. 3. 4. 9. 10. From
 which a sugar 12 m. dia. beans S40 E. 3 miles dist
 and a Buck 12 n n n N43⁴⁷ 22 n n
 Sands hilly and part crude bottom. middling
 goods for farming.
-

- West Between Sec. 4 & 9. T. No. 9. N.R. No. 17th
 33.50 To a brook 100 miles mid; leaves N.E.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 10 m. dia. beans N27 W. 10 miles dist; &
 11^o 12 n n n S15⁴⁷ 9 n n
 80.00 Set a post for the cor. to Sec. 4. 5. 8. 9 from which
 a Buck 14 m. dia. beans N31 W. 17 miles dist; &

J. N° 9 M.R. N° 177. quai. Mar. Ind.

'Bush 14 in. dia. bears #418-13 miles dist; 1
Sand hard and not; Tintor Bush, No. 177,
Gum. Sand not very good for farming

East On a Random line between Art. 3 & 10 J. N° 9 M.
R. N° 177.

- 40.00 Set a temporary post for the cor. to 10 sec.
79.20 To a Brook 30 miles wide; comes S.
79.76 Intersects the N.E.S line 51 miles N. of the cor to
Art. 2, 3, 10 & 11. Sands hilly and poor.

North Between Art. 2 & 3 J. N° 9 M.R. N° 177.

- 1.00 To a Brook 30 miles wide; comes S.W.
24.00 n n n 40 n n n W.
40.00 Set a post for the cor. to 10 sec. from which a
Maple 13 in. dia. bears #43 N. 26 miles dist; + o
10. 11 n n n N 36 E. 9 n n
79.47 Intersects the E. & W. line 877 miles West of the
post set for the cor. to Art. 3 & 13. J. N° 10 M.R. 177.
and set a post for the cor. to Art. 2 & 3. J. N° 9 M.R.
N° 177. from which a
Bush 6 in. dia. bears N 74 E. 20 miles dist; + o
10. 12 n n n S 74 N. 20 n n
Sand hard and poor. Tintor Bush so.

West On a true line between Art. 3 & 10. J. N° 9 M.R. N° 177

- 39.88 Set the temporary post at the 10 sec. on the true line
for the cor. to 10 sec. from which a
Bush 14 in. dia bears N 58-35 miles dist; + o
10. 14 n n n S 53 N 26 n n
79.76 To the post set for the cor. to Art. 3, 4, 9, 10

October 1st 1815.

- South On a Random line between Art. 8 & 9 J. N° 9 M.
R. N° 177.
- 31.00 To a brook 100 miles wide; comes W.

J. N. 9. A. R. N. 17. 2nd Mar. (Ind. a)

- 4.000 Set a temporary post for the cor. to 1/4 sec.
 6.3.00 To a Brook 10 miles west; leaves N.
 8.1.25 Int. set a the E & W line 13 miles west of the post
 Set up for the cor. to sec. 8. 9. 16. & 17. J. N. 9. A.
 R. N. 17. Land good land and part hilly
 3rd rate;

North On a true line between Lat. 8. 19 J. N. 9. A.
 R. N. 17.

- 4.0.19 Set the temporary post at the cor. east; on the true
 line for the cor. to 1/4 sec. from which a
 Buck 18 in. dia. bears N 57° W. 24 miles dist; to
 W. Ash 18 in. " " S 24° E. 29 " "
 8.1.25 To the post set for the cor. to sec. 4. 5. 8. 9.

North Between Lat. 4. 0.5. J. N. 9. A. R. N. 17.

- 4.0.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bone West 6 miles dist; to
 Knob 18 in. " " N 68° E. 28 in. "

- 7.8.68 Int. set a the E & W line 818 miles N of the
 post set for the cor. to lat. 33. 13. J. N. 10. A.
 R. N. 17. and set a post for the cor. to sec. 4. 5. 5
 from which a W. Oak 18 in. dia. bears N 50° E. 14
 miles dist; to Buck 18 in. " " W 52° N 9
 " " Land good and not; timber Buck
 from above to not very good for farming

West Between Lat. 5. 18 J. N. 9. A. R. N. 17.

- 4.0.00 Set a post for the cor. to 1/4 sec. from which a
 B. Oak 12 in. dia. bone S 28° E. 6 miles dist; to
 Maple 10 in. " " N 64° W. 30 in. "
 4.5.00 To a Brook 100 yards west; leaves N.
 6.5.00 " " " 20 " " " " N. "
 8.1.00 Set a post for the cor. to sec. 5. 6. 7. 8. from which a
 Buck 20 in. dia. bone N 28° E. 17 miles dist; to
 10. 11 " " " " S 54° W. 16 in. "

T. N° 9. R.R. N° 1 1st 2nd Mar. (Ind.)


The East part of this mile same as the last mile; the west part hilly and part creek bottom;
Timber & Buck so

- West Between Sec. 6. 17 T. N° 9. R.R. N° 1 W.
39.00 To a Spring branch leave S.E.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 7 mi. dia bears N 63 E. 17 miles dist; to
do 20 m n n \$21 W. 12 a -
72.89 Set a post for the cor. to sec. 6 17. T. N° 9 R.
R. N° 1 W. (100 miles N of the post set for the
cor. to sec. 1. 11) T. N° 9 R.R. N° 2 W. (from
which a Sugar 13 in. dia bears S 79 E. 18 miles
dist; to do 21 n n \$62 W. 30 a -
Good for farming; Timber & Buck,
Sugar, Poplar, Ash, & Walnut.

- South On a Random line between Sec. 7. 18. T. N° 9 R.
W. N° 1 W.
40.00 Set a temp. post for the cor. to 1/4 sec.
80.00 Intersected the E. S. W. line 4 miles East of the
post set for the cor. to Sec. 7. 8. 17 & 18.
Sand & sand bottom middling goods farming

- North On a true line between Sec. 7. 18. T. N° 9 R.
N° 1 W.
40.28 Set the temp. post for the cor. to 1/4 sec. at the con.
with in the true line from which a
Buck 11 in. dia bears N 80 E. 13 miles dist; to a
Juniper 9 m n \$29 W. 26 a n
80.56 To the post set for the cor. to Sec. 5. 6. 7. 18.

- West On a true line between Sec. 7. & 18. T. N° 9 R.
W. N° 1 W. 2nd Mar.
40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 13 in. dia bears \$41 E. 5 miles dist to



T. No. 9. R. M. No 1 W. 2nd Mer. (Ind.)

- Dogwood 9 in. dia. bears N 44 E. 13 miles dist
72.90 Intersected the N. & S. line 150 miles N of the
post set for the cor. to Sec. 12 & 13 T. No. 9 R.
R. No. 2 W. and set a post for the cor. to cut
7 & 18 from which a
Poplar 4 in. dia bears S 3 E. 6 miles dist; &
Dogwood 6 in. - N 2 E 16 in. -
Farms of farming lands;

(October 2nd. 1815)

- North Between Sec. 5 & 6. T. No. 9 R. No. 1 W.
40.00 Set a post for the cor. to 1/4 sec. from which a
Bush 30 in. dia bears N 45 W. 16 miles dist; &
16. 24 in. - S 10 E. 40 in. -
78.88 Intersected the E. & W. line 7.20 miles west of
the post set for the cor. to Sec. 3 & 3 D. T. No. 10
R. No. 1 W. from which a
W. Bush 5 in. dia bears N 16 E. 23 the dist;
and an Elm 20 in. - S 88 E 19 in. -
Sand hills of middling soil; Timber Oak,
Ash, Buck & Poplar.

- North Between Sec. 3 & 4 T. No. 9 R. No. 1 W.
17.14 To a Creek 100 miles mid course E. W.
40.00 Set a post for the cor. to 1/4 sec. made as
cor. on a Buckeye sapling 3 in. dia.
76.73 Intersected the E. & W. line 7.69 miles W. of
the cor. to Sec. 3 & 3 D. T. No. 10 R. No. 1 W.
and set a post for the cor. to Sec. 3 & 4 from which
a Bush 4 in. dia bears N 42 W. 23 miles dist; &
16. 16 in. - S 46 E. 17 in. -
Sand low ant bottom; Timber Buck 13. Ash
to rich soil.

North Between Sec. 1 & 2. T. No. 10 R. No. 1 W.

72.28 Originally Surveyed to the N.E. Boundary of

T. N^o 9 M^o R. N^o 1 Tⁿ. 2ndd Mer. Ind.^{a)}

Harrison Purchase; Line Extended
81.50 Starts after the S. Boundary of T. N^o 9 M^o R. N^o
1 Tⁿ. 81 links E of the post set for the cor. to Sec.
35.136 T. N^o 10 M^o R. N^o 1 Tⁿ. and set a post
on the cor. to Sect. 1. 1st. T. N^o 9 M^o R. N^o 1 Tⁿ from
which on Imwood Cm. dis. bears N 42^W 13 links
west; and on N 42^W 14 n. n. S 25^E 19 n.
and made broken grade rate. Timber Ranch,
Sugar, Kosciusko Co. W. I. Logwood, Imwood
made drives &c.

App'd by Surveyor Genl. Dec. 14. 1839
Surveyed by Wm. Harris
(Dept. Surv.)

I certify that the foregoing transcript of the
field notes of Township N^o 9 North of Langdon
N^o 1 Tⁿ of the 2ndd Mer. Indiana, has been com-
pared with the original notes in this Office and
found to be correct.

Surveyor General's Office,
Cincinnati, Dec. 14. 1839 